

RANGE

11E

RANGE

11E

RANGE

11E

SECTION

1

SECTION

4

SECTION

19

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

786,986.37

ELEVATION:

UTM X

781,857.32

ELEVATION:

UTM X

778,132.26

ZONE 15

ZONE 15

ZONE 15

County Base Map

257FT

UTM Y

3,993,905.18

257FT

UTM Y

3,994,691.13

258FT

UTM Y

3,998,926.10

PEMISCOT

(Records are Sorted by Township, Range, and Section)

LOG ID: 022798

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH: 127FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

TOWNSHIP

16N

LOG ID:

WELL TYPE

022529

Community Public Well

20

DRILL DATE:

DRILL DEPTH:

1964/01/

151FT

111FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

9

9

FΤ

REMARKS: BEHIND CITY HALL

TOWNSHIP

16N

S.W.L. (AFTER CASING):

LOG ID: 022044

WELL TYPE Private Well

DRILL DATE:

1963/02/14

DRILL DEPTH:

80FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 6 MI W OF STEELE

TOWNSHIP

17N

LOG ID:

WELL TYPE

Community Public Well 009460

DRILL DATE:

1947/03/06

DRILL DEPTH:

DEPTH TO BED:

2,316FT

310FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 17N

RANGE

11E

SECTION

26

ELEVATION:

260FT

UTM X 785,464.34

UTMY 3,998,088.17

ZONE 15

"EXPLORATORY HOLE" REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 014804

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/08/22

TOWNSHIP 17N

RANGE SECTION **ELEVATION:**

260FT

DRILL DEPTH:

195FT

11E 36

UTM X

UTMY 3,996,722.19

DEPTH TO BED:

787,036.36

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: MO HIGHWAY BARN AT STEELE

S.W.L. (AFTER CASING):

18

LOG ID: 026338

WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1969/09/02

TOWNSHIP

SECTION RANGE

19

ELEVATION:

262FT

DRILL DEPTH:

1,575FT

13E 17N

UTM X

UTMY

DEPTH TO BED:

200FT

3,999,685.24

797,932.42 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 7 MI E OF STEELE

S.W.L. (AFTER CASING):

LOG ID: 006910

WELL TYPE

Community Public Well

DRILL DATE:

1941/06/20

TOWNSHIP

RANGE SECTION 17

ELEVATION:

257FT

DRILL DEPTH:

1,748FT

18N 11E

FLOWS; STOPPED IN 1962

UTM X

UTM Y

DEPTH TO BED:

175FT

4,009,619.16

REMARKS:

780,153.20 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID: 021890

WELL TYPE Private Well

DRILL DATE:

1963/04/24

TOWNSHIP 18N

RANGE

SECTION

ELEVATION:

265FT

DRILL DEPTH:

100FT

12E 16

UTM X

ZONE 15

791,595.33

UTM Y 4,011,029.28

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

REMARKS: 2 MI S OF HAYTI ON HWY 61

S.W.L. (AFTER CASING): 11



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022797

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH: 175FT

DEPTH TO BED:

RANGE TOWNSHIP SECTION 18N 12E 25

> UTM X 795,359.37

ELEVATION:

UTMY 4,008,412.28

265FT

ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 10

LOG ID: 000280

WELL TYPE

Community Public Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

TOWNSHIP RANGE

715FT

173FT

SECTION 18N 13E 16

271FT

UTM X

ELEVATION:

UTMY

800,687.38 4,010,731.29

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ARK-MO POWER; @ CARUTHERSVILLE

S.W.L. (AFTER CASING):

LOG ID: 008149

WELL TYPE

Community Public Well

DRILL DATE:

1943/03/

TOWNSHIP

RANGE 13E

ELEVATION:

270FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

1,380FT

178FT

4.6

18N

16

SECTION

UTM X

800,187.38 4,010,905.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

012750

Community Public Well

DRILL DATE:

1954/06/22

TOWNSHIP

RANGE SECTION **ELEVATION:**

276FT

DRILL DEPTH:

790FT

18N

13E 16

DEPTH TO BED:

155FT

UTM X 800.387.38

UTM Y 4,010,905.29

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

TOTAL DEPTH MAY BE 905', NO SAMPLES BELOW 790'

S.W.L. (AFTER CASING):

20



RANGE

13E

SECTION

16

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

800,387.38

ZONE 15

ZONE 15

ZONE 15

LOG ID: 016268

WELL TYPE

Community Public Well

DRILL DATE: 1957/06/

DRILL DEPTH: 1,394FT

DEPTH TO BED: 150FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 6 FT **REMARKS:**

LOG ID:

WELL TYPE

019689 Community Public Well

DRILL DATE:

DEPTH TO BED:

1960/10/21

120FT

8

FT

TOWNSHIP 18N

TOWNSHIP

18N

REMARKS:

TOWNSHIP

18N

RANGE 13E

SECTION 16

271FT **UTMY**

4,010,789.29

270FT

UTM Y

4,010,737.29

276FT

UTMY

4,010,905.29

DRILL DEPTH: 1,396FT

UTM X 800,387.38

ELEVATION:

UTM X

800,569.38

ELEVATION:

REMARKS: 800' W OF WATER PLANT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 026908

DRILL DATE: DRILL DEPTH:

1971/03/05

1,398FT

DEPTH TO BED: 130FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

007324

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1941/11/17

3,345FT

185FT

TOWNSHIP 18N

RANGE 13E

RANGE

13E

SECTION 33

SECTION

16

ELEVATION:

263FT

UTM X UTM Y

800.671.40

4,005,569.27

ZONE 15

#1 KENNETH PATTERSON; LOST HOLE # 3345' **REMARKS**:

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025003

WELL TYPE

Community Public Well

1967/03/30 DRILL DATE:

1,970FT

TOWNSHIP RANGE SECTION 11E 23

ELEVATION:

264FT

DRILL DEPTH:

UTM X 784,606.22

UTMY 4,018,234.22

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

025294

WELL TYPE

Community Public Well

DRILL DATE:

1967/12/08

TOWNSHIP

19N

SECTION RANGE

ELEVATION:

264FT

DRILL DEPTH: DEPTH TO BED: 1,970FT 170FT

19N 11E 23

UTM X

ZONE 15

784,668.22

UTMY 4,018,208.23

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 007222

WELL TYPE

Oil Well

DRILL DATE:

1941/09/10

TOWNSHIP

RANGE

SECTION

ELEVATION:

265FT

DRILL DEPTH:

4,740FT

19N

11E 24

UTM X

UTM Y

DEPTH TO BED:

605FT

786,021.24 4,018,088.24

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

#1 RUSSELL; @ PASCOLA; MAY HAVE MIDDLE CAMBRIAN ROCK

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

016706

Irrigation Well

DRILL DATE:

1957//

TOWNSHIP 19N

RANGE 11E

SECTION

ELEVATION:

249FT

DRILL DEPTH:

DEPTH TO BED:

85FT

30

UTM X UTM Y

ZONE 15

778.027.14

4,017,269.16

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

BRAGG CITY EXPERIMENTAL FIELD, 1 MI S OF BRAGG CITY;

DRILLED BY AUGER



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 008418

WELL TYPE

Community Public Well

1943/10/23 DRILL DATE:

DRILL DEPTH: 100FT

RANGE 19N 12E 34

SECTION

34

UTM X

ELEVATION:

UTMY 792,273.32 4,015,210.30

ZONE 15

DEPTH TO BED:

FT

17

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

LOG ID:

WELL TYPE

009422 Community Public Well

DRILL DATE:

1947/01/24

TOWNSHIP

TOWNSHIP

RANGE

SECTION ELEVATION: 270FT

273FT

DRILL DEPTH:

2,153FT

19N 12E

UTM X

UTMY

DEPTH TO BED:

210FT

792,067.32 4,015,192.30

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

REMARKS:

flows 125 gpm; good lignite @ 210, 235 ft; 8 inch casing top at 200 ft

(bottom of seal at 1250 ft)

LOG ID: 023550

WELL TYPE

Community Public Well

DRILL DATE:

1965//

TOWNSHIP

RANGE SECTION **ELEVATION:**

273FT

DRILL DEPTH:

107FT

19N 12E 34

UTM X

UTM Y

DEPTH TO BED:

791,873.31

4,015,412.29

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026828

Community Public Well

DRILL DATE:

1971/04/

TOWNSHIP

RANGE SECTION **ELEVATION:**

269FT

DRILL DEPTH:

110FT

19N

12E 34

DEPTH TO BED:

UTM X 792.102.32

UTM Y 4,015,243.30

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: SECTION NOT LISTED

S.W.L. (AFTER CASING):

14



RANGE

12E

SECTION

34

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026945

WELL TYPE

Community Public Well

1971/09/02 DRILL DATE:

DRILL DEPTH: 113FT

UTM X **UTMY** DEPTH TO BED:

TOWNSHIP

19N

791,873.31 4,015,412.29

273FT

ZONE 15

ELEVATION:

S.W.L. (BEFORE CASING): FT **REMARKS:**

S.W.L. (AFTER CASING): 18

LOG ID: 007107

WELL TYPE Private Well

DRILL DATE: 1941/09/

TOWNSHIP SECTION RANGE ELEVATION: 250FT

20N 11E 24 DRILL DEPTH: 40FT

UTM X UTMY DEPTH TO BED: 785,751.26 4,027,688.25

ZONE 15

S.W.L. (BEFORE CASING): REMARKS: 1/8 MI N OF WARDELL

S.W.L. (AFTER CASING):

LOG ID: 020619

DRILL DEPTH:

WELL TYPE

Community Public Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 250FT

> 20N 11E 24 1.725FT

UTM X UTM Y **DEPTH TO BED:** 190FT 785,519.26 4,027,669.24

ZONE 15 S.W.L. (BEFORE CASING): FT

REMARKS:

S.W.L. (AFTER CASING): 61

LOG ID: 025287

WELL TYPE Private Well

1967/03/29 **DRILL DATE:**

RANGE SECTION TOWNSHIP ELEVATION: 282FT 12E

DRILL DEPTH: 100FT UTM X UTM Y

DEPTH TO BED: 795.279.36 4,032,954.32

ZONE 15 S.W.L. (BEFORE CASING): FT

20N

1 MI S OF PORTAGEVILLE, 0.25 MI W OF HWY 61 ACROSS FROM **REMARKS:**

DELTA CENTER S.W.L. (AFTER CASING): 12



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 013541

WELL TYPE

Noncommunity Public Well

DRILL DATE: 1954/08/

TOWNSHIP 20N RANGE SECTION

ELEVATION:

274FT

DRILL DEPTH:

136FT

12E 24

UTM X UTM Y

DEPTH TO BED:

795,693.35

4,027,846.31

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: 6 MI S OF PORTAGEVILLE ON HWY 61

S.W.L. (AFTER CASING):

<u>SING):</u> 12

LOG ID: 017348

WELL TYPE

Noncommunity Public Well

DRILL DATE:

1958//

TOWNSHIP

RANGE SECTION

24

ELEVATION:

274FT

DRILL DEPTH:

130FT

20N 12E

UTM X

UTM Y

DEPTH TO BED:

795,693.35

4,027,846.31

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID: 013540

WELL TYPE

Private Well

DRILL DATE:

1954/02/

<u>TOWNSHIP</u>

20N

RANGE SECTION

ELEVATION:

273FT

DRILL DEPTH:

75FT

13

12E 9

UTM X

<u>UTM Y</u>

DEPTH TO BED:

FT

790,912.33

4,031,119.30

ZONE 15

S.W.L. (BEFORE CASING):

.

REMARKS: 2 MI S OF PORTAGEVILLE ON HWY 61, 3 MI W OF ROWE STORE

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

025056

Irrigation Well

DRILL DATE:

1966/10/27

TOWNSHIP 20N RANGE SECTION

ELEVATION:

277FT

DRILL DEPTH:

108FT

13E 1

UTM X

UTM Y

DEPTH TO BED:

9

804,503.39 4,033,736.34

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

4,073



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 020770

WELL TYPE Irrigation Well

1962/02/ DRILL DATE:

TOWNSHIP 20N

RANGE SECTION 11

ELEVATION:

281FT

DRILL DEPTH:

95FT

13E

UTM X

UTMY

803,973.39 ZONE 15

4,032,631.34

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

19

LOG ID: 025048

WELL TYPE Irrigation Well

DRILL DATE:

1966/10/19

TOWNSHIP

SECTION RANGE 11

ELEVATION:

283FT

DRILL DEPTH:

105FT

20N 13E

UTM X

UTMY

DEPTH TO BED:

803,973.39 4,032,934.34 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

16

REMARKS:

REMARKS:

LOG ID: 025049

WELL TYPE Irrigation Well

DRILL DATE:

1966/10/20

TOWNSHIP

RANGE SECTION 2

ELEVATION:

278FT

DRILL DEPTH:

105FT

20N 13E

> UTM X 803,903.39

UTM Y 4,033,639.34

DEPTH TO BED:

FT

AGRI RESEARCH FARM

ZONE 15

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):

15

LOG ID: 025050

WELL TYPE Irrigation Well

DRILL DATE:

1966/10/21

TOWNSHIP 20N

RANGE SECTION **ELEVATION:**

282FT

DRILL DEPTH:

105FT

13E

UTM X

803,503.38

UTM Y 4,033,849.34

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

2

ZONE 15

S.W.L. (AFTER CASING):

16

REMARKS:



RANGE

13E

RANGE

13E

RANGE

13E

SECTION

2

SECTION

2

SECTION

2

SECTION

31

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 025053

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Irrigation Well

1966/10/21 DRILL DATE:

105FT

16

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

TOWNSHIP

20N

TOWNSHIP

TOWNSHIP

20N

TOWNSHIP

21N

20N

LOG ID: 025054

WELL TYPE Irrigation Well

DRILL DATE: DRILL DEPTH: 1966/10/24

105FT

19

9

14

DEPTH TO BED:

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

S.W.L. (AFTER CASING):

LOG ID: 025055

WELL TYPE Irrigation Well

DRILL DATE:

1966/10/27

DRILL DEPTH: 105FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 020997

WELL TYPE Irrigation Well

DRILL DATE:

1962/06/05

110FT

DRILL DEPTH:

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

REMARKS:

2 MI S OF PORTAGEVILLE

RANGE

13E

DRILLER'S TD - 98'

ELEVATION:

278FT

UTM X 803,903.39

UTMY 4,033,849.34

ZONE 15

ELEVATION: 277FT

UTM X

UTMY 4,034,269.34

803,903.39 ZONE 15

ELEVATION: 276FT

UTM X 804,003.39

UTM Y 4,033,744.34

ZONE 15

ELEVATION: 282FT

UTM X UTM Y

795,760.36 4,035,098.32

ZONE 15

PEMISCOT